----- POPULATION ESTIMATES ------ CANCER INCIDENCE ----- LOCAL PUBLIC HEALTH -----

 	POPULATIO	N ESITMATE	10	CANCER IN	NCTDEINC	ا ا	LOCAL PUBLIC H.	EALIH	Per
	.998 Popula ent Female	tion Est	113,190 50.0	(Cancer incidenc	e is f	or 1997)	Activities Reported	Number	
Perce	iic remaie		30.0	Primary Site		Number	Public Health Nursing		
Populat	ion per sq	nare mile	263	FIIMALY SICE		Number	Total clients	1 447	127
	in state	uare mire	203	 Breast		102	Total visits	1,447 4 110	362
	iighest pop	ulation de	_	Cervical			Visits: Reason for	4,119	302
	owest popu			Colorectal		3 66	Gen hlth promotion	703	62
/2-1	.owest popu	iacion dei	isity.)		nan ahu			576	51
7.00	Female	Male	Total	Lung, Trachea, & E Prostate	or Officia	66	Infectious & parasitic	570	46
<u>Age</u>	11,970	12,730	<u>Total</u> 24,700	Other sites		104	Cinquistom:	3 <u>4</u> 9	36
0-14 15-19		4,440		Total		458	Circulatory Prenatal	844	74
	4,140		8,580	lotai		458			
20-24	3,300	3,430	6,730	T ONTO THE			Postpartum	256	22
25-29	3,300	3,440	6,740	LONG-TER	RM CARE				4.0
30-34	4,040	4,280	8,330				WIC Participants	1,680	148
35-39	4,920	5,270	10,190	Community Options a	and MA	Waiver			0.5.5
40-44	4,730	4,920	9,660	Programs			Clinic Visits		929
45-54	8,020	7,690	15,710	# Cli	ents.	Costs	Immunization	8,041	706
55-64	5,090	5,130	10,210	COP	75	\$315,104	Blood pressure	560	49
65-74	3,430	3,080	6,500	MA Waivers *					
75-84	2,550	1 710	4 260	CIP1A	28	\$1,380,829	Environmental Contacts		
85+	1,090	490	1,580	CIP1B	95	\$2,122,837	Env hazards	274	24
Total	56,580	56,610	113,190	CIP2	3	\$31,083	Public health nuisance	238	21
	•	•	•	COP MA Waivers * CIP1A CIP1B CIP2 COP-W	130	\$632,592			
Age	Female	Male	Total	CSLA	0	\$0	School Health		
0-17	14,430	15,430	29,850	CSLA Brain Inj	4	\$217.884	Vision screenings	2,858	251
18-44			45,080	Total COP/Wvrs	303	\$4,700,329	Hearing screenings	2,708	238
45-64	13,110	12,820	25 920	10001 001/ 11/15	303	Q177007525	near ring bereenings	2,,00	230
		5,280	25,920 12,340	\$172,067 of the	ahowe	Waiver costs	Health Education		
Total		56,610	113,190	were paid as loca			Community sessions	55	5
Iocai	30,300	30,010	113,170	using COP funds.	Thiacc	amount is	Community sessions Community attendance	152	13
(Dorrowtz	estimates	for 1005	270	not included in a			School sessions		
	ed in the 1			l liot ilicitadea ili a	above c	OP COSCS.		•	
				# T-7			School attendance	•	•
	statistic		upaatea	* Waiver costs repo			Chaffing TMDs		
arter t	he 2000 Ce	nsus.)		include federal f	unaing	•	Staffing - FTEs	14	1 2
	 -	0. m . m . m					Total staff	14	1.3
							Administrators Public health nurses Public health aides	2	0.2
	wage for j			Home Health Agencie	es	•	Public health nurses	5	0.4
	oloyment Co			Patients			Public health aides	2	0.2
	rerage wage			Patients per 10,00	00 pop.		Environmental specialis	ts 1	0.1
of	work, not	place of	residence.						
				Nursing Homes		4			
			<u>al Average</u>	Licensed beds		781	LOCAL PUBLIC HEAL'	TH FUNDI	NG
Civilia	n labor fo	rce	67,150	Occupancy rate Residents on 12/31		88.6%			Per
Numbe	er employed		65,348	Residents on 12/31	_/98	679		Amount	<u>Capita</u>
Numbe	r unemploy	ed	1,802	Residents aged 65	or old	er	Total funding		
Unem	ployment r	ate	65,348 1,802 2.7%	Residents aged 65 per 1,000 popula	ation	53	Local taxes		

TOTAL LIVE BIRTHS		1,469	Birth Order	Births	Percent	Marital Status		
			First	563	38	of Mother	<u>Births</u>	Percent
Crude Live Birth Rate	2	13.0	Second	537	37	Married Not married Unknown	1,240	84
General Fertility Rat	e	60.1	Third	226	563 38 of Mother 537 37 Married 226 15 Not married 143 10 Unknown 0 0		229	16
			Fourth or higher	143	10	Unknown	0	0
Live births with repo congenital anomalies	rted		Unknown	0	0			
congenital anomalies	2	0 1.4%				Education		
			HITST Prenaral			of Mother	Births	Percent
Delivery Type Vaginal after previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean Other or unknown	Births	Percent	Visit	Births	Percent	Elementary or less	. 3	< 5
Vaginal after		<u>.</u>	1st trimester	1,360	93	Some high school High school Some college College graduate Unknown	97	7
previous cesarean	61	4	2nd trimester	86	6	High school	460	31
Forceps	19	1	3rd trimester	21	1	Some college	405	28
Other vacinal	1 207	82	No wigits	2	< 5	College graduate	503	34
Drimary gogaroan	116	Q	Inknown	0	\.J	Inknown	J03 1	/ 5
Popost gogsrosn	110	1	Olikilowii	O	U	Olikilowii		\.5
Nepeat Cesarean	00	4	Number of Duesets	. 1		Gmal-ima Ghabus		
Other or unknown	0 0		Number of Prenata	1 		Smoking Status	70 da a a a a a a a a a a a a a a a a a a	
m 1 - 1 1 - 1 m 2 1 - 1 1 1			Care Visits	Birtns	Percent	of Mother	Birtns	Percent
Birth Weight	Births	Percent	No visits	2	<.5	Smoker Nonsmoker Unknown	228	16
<1,500 gm	11	0.7	1-4 visits	19	1	Nonsmoker	1,241	84
1,500-2,499 gm	50	3.4	5-9 visits	141	10	Unknown	0	0
	1 100	95 9	10-12 visits	567	39			
2,500+ gm	1,408	93.0	TO TE VIBICE	507				
2,500+ gm Unknown	1,408	0.0	13+ visits	740	50			
Birth Weight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown								
							. Visit Other/	'Unknown
							. Visit Other/ Births	Unknown Percent
							. Visit Other/ Births	'Unknown <u>Percent</u> 2
							. Visit Other/ Births 22 *	'Unknown <u>Percent</u> 2
							Visit Other/ Births 22 *	Unknown Percent 2 .
							Visit Other/ Births 22 * 1	Unknown Percent 2 5
						er of First Prenatal 2nd Trimester Births Percent 83 6 * . 3 15	Visit Other/ Births 22 * 1	Unknown Percent 2 . 5
	Total B Births P 1,446 3 20 0	ercent 98 <.5 1 0	Low Birth Weight (under 2,500 gm) Births Percent 56 3.9 * 3 15.0	1st Tr <u>Births</u> 1,341 * 16	Trimestimester Percent 93 . 80	ter of First Prenatal 2nd Trimester Births Percent 83 6 * . 3 15 .		Unknown Percent 2 . 5
	Total B Births P 1,446 3 20 0	ercent 98 <.5 1 0	Low Birth Weight (under 2,500 gm) Births Percent 56 3.9 * 3 15.0	1st Tr <u>Births</u> 1,341 * 16	Trimestimester Percent 93 . 80	ter of First Prenatal 2nd Trimester Births Percent 83 6 * . 3 15 .	Visit	
<u>Race of Mother</u> White Black Other Unknown	Total B Births P 1,446 3 20 0	ercent 98 <.5 1 0	Low Birth Weight (under 2,500 gm) Births Percent 56 3.9 * . 3 15.0 . Low Birth Weight (under 2,500 gm)	1st Tri Births 1,341 * 16	Trimest imester Percent 93 . 80 . Trimest	ter of First Prenatal 2nd Trimester Births Percent 83 6 * . 3 15 . ter of First Prenatal 2nd Trimester	Visit Other	Unknown
Race of Mother White Black Other Unknown	Total B Births P 1,446 3 20 0	ercent 98 <.5 1 0	Low Birth Weight (under 2,500 gm) Births Percent 56 3.9 * . 3 15.0 . Low Birth Weight (under 2,500 gm)	1st Tri Births 1,341 * 16	Trimest imester Percent 93 . 80 . Trimest	ter of First Prenatal 2nd Trimester Births Percent 83 6 * . 3 15 . ter of First Prenatal 2nd Trimester	Visit Other	Unknown
Race of Mother White Black Other Unknown Age of Mother <15	Total B Births P 1,446 3 20 0	ercent 98 <.5 1 0	Low Birth Weight (under 2,500 gm) Births Percent 56 3.9 * . 3 15.0 . Low Birth Weight (under 2,500 gm)	1st Tri Births 1,341 * 16	Trimest imester Percent 93 . 80 . Trimest	ter of First Prenatal 2nd Trimester Births Percent 83 6 * . 3 15 . ter of First Prenatal 2nd Trimester	Visit Other	Unknown
Race of Mother White Black Other Unknown Age of Mother <15 15-17	Total B Births P 1,446 3 20 0	ercent 98 <.5 1 0	Low Birth Weight (under 2,500 gm) Births Percent 56 3.9 * . 3 15.0 . Low Birth Weight (under 2,500 gm)	1st Tri Births 1,341 * 16	Trimest imester Percent 93 . 80 . Trimest	ter of First Prenatal 2nd Trimester Births Percent 83 6 * . 3 15 . ter of First Prenatal 2nd Trimester	Visit Other	Unknown
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19	Total B Births P 1,446 3 20 0	ercent 98 <.5 1 0	Low Birth Weight (under 2,500 gm) Births Percent 56 3.9 * . 3 15.0 . Low Birth Weight (under 2,500 gm)	1st Tri Births 1,341 * 16	Trimest imester Percent 93 . 80 . Trimest	ter of First Prenatal 2nd Trimester Births Percent 83 6 * . 3 15 . ter of First Prenatal 2nd Trimester	Visit Other	Unknown
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24	Total B Births P 1,446 3 20 0	ercent 98 <.5 1 0	Low Birth Weight (under 2,500 gm) Births Percent 56 3.9 * . 3 15.0 . Low Birth Weight (under 2,500 gm)	1st Tri Births 1,341 * 16	Trimest imester Percent 93 . 80 . Trimest	ter of First Prenatal 2nd Trimester Births Percent 83 6 * . 3 15 . ter of First Prenatal 2nd Trimester	Visit Other	Unknown
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29	Total B Births P 1,446 3 20 0	ercent 98 <.5 1 0	Low Birth Weight (under 2,500 gm) Births Percent 56 3.9 * . 3 15.0 . Low Birth Weight (under 2,500 gm)	1st Tri Births 1,341 * 16	Trimest imester Percent 93 . 80 . Trimest	ter of First Prenatal 2nd Trimester Births Percent 83 6 * . 3 15 . ter of First Prenatal 2nd Trimester	Visit Other	Unknown
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Total B Births P 1,446 3 20 0	ercent 98 <.5 1 0	Low Birth Weight (under 2,500 gm) Births Percent 56 3.9 * . 3 15.0 . Low Birth Weight (under 2,500 gm)	1st Tri Births 1,341 * 16	Trimest imester Percent 93 . 80 . Trimest	ter of First Prenatal 2nd Trimester Births Percent 83 6 * . 3 15 . ter of First Prenatal 2nd Trimester	Visit Other	Unknown
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29	Total B Births P 1,446 3 20 0	ercent 98 <.5 1 0	Low Birth Weight (under 2,500 gm) Births Percent 56 3.9 * . 3 15.0 . Low Birth Weight (under 2,500 gm)	1st Tri Births 1,341 * 16	Trimest imester Percent 93 . 80 . Trimest	ter of First Prenatal 2nd Trimester Births Percent 83 6 * . 3 15 . ter of First Prenatal 2nd Trimester	Visit Other	Unknown
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Total B Births P 1,446 3 20 0	ercent 98 <.5 1 0	Low Birth Weight (under 2,500 gm) Births Percent 56 3.9 * . 3 15.0 . Low Birth Weight (under 2,500 gm)	1st Tri Births 1,341 * 16	Trimest imester Percent 93 . 80 . Trimest	ter of First Prenatal 2nd Trimester Births Percent 83 6 * . 3 15 . ter of First Prenatal 2nd Trimester	Visit Other	Unknown
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Total B Births P 1,446 3 20 0	98 <.5 1 0 rtility Rate 11 34 64 137 118 42 7	Low Birth Weight (under 2,500 gm) Births Percent 56 3.9 * . 3 15.0 . Low Birth Weight (under 2,500 gm)	1st Tri Births 1,341 * 16	Trimest imester Percent 93 . 80 . Trimest	ter of First Prenatal 2nd Trimester Births Percent 83 6 * . 3 15 . ter of First Prenatal 2nd Trimester	Visit Other	Unknown
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Total B Births P 1,446 3 20 0 Fe Births 3 27 58 210 452 479 205 35	98 <.5 1 0 rtility Rate 11 34 64 137 118 42 7	Low Birth Weight (under 2,500 gm) Births Percent 56 3.9 * . 3 15.0 . Low Birth Weight (under 2,500 gm)	1st Tri Births 1,341 * 16	Trimest imester Percent 93 . 80 . Trimest	ter of First Prenatal 2nd Trimester Births Percent 83 6 * . 3 15 . ter of First Prenatal 2nd Trimester	Visit Other	Unknown

16

11

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED* CASES OF SELECTED DISEASES fetal deaths. Rates are not calculated for fewer than 20 deaths. Disease <u>Number</u> TOTAL DEATHS 769 Selected Campylobacter Edition

Giardiasis

Hepatitis Type A

Hepatitis Type B**

Hepatitis NANB/C***

Legionnaire's

Lyme

Measles

Meningitis, Aseptic

Meningitis, Bacterial

Mumps

O 65-74

Mumps

O 75-84

21 85+

Decomposition

Age

Decomposition

Age

Decomposition

5

Age

Decomposition

6

Age

Decomposition

5

Age

Decomposition

6

Age

Decomposition

5

Age

Decomposition

6

Age

Composition

6

Age

Co Underlying Cause Deaths Rate 679 Campylobacter Enteritis 20 Crude Death Rate Heart Disease (total) 220 194 Coronary heart disease 160 141 Cancer (total) 188 166
Lung 44 39
Colorectal 22 19
Female breast 15 .*
Cerebrovascular Disease 78 69 Chron Obstr Pulmonary 30 27
Pneumonia & Influenza 26 23
Injuries 30 27 Injuries Motor vehicle 9
Diabetes 16 Infectious & Parasitic 5 Suicide Infant Mortality Deaths Rate * 1998 provisional data * Rate for female breast cancer based ** Includes all positive HBsAq Total Infant 6 on female population. Postneonatal 2 Unknown test results *** Unavailable at time of printing ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH Sexually Transmitted Disease Chlamydia Trachomatis 52
Genital Herpes 28
Gonorrhea 9 Race of Mother Alcohol Other Drugs 6
Both Mentioned 1 White Black Other Unknown Nongonococcal Cervicitis <5 Nongonococcal Urethritis 0 ----- MOTOR VEHICLE CRASHES -----Syphilis
 Birth Weight

 <1,500 gm</td>
 3

 1,500-2,499 gm
 1

 2,500+ gm
 2

 Unknown
 .
 Note: These data are based on location ----- IMMUNIZATIONS ----of crash, not on residence. Children in Grades K-12 by Type of Motor Persons Persons

Vehicle Crash Injured Killed Compliance Level Compliant 22,992
Non-compliant 264
Percent Compliant 98.9 Total Crashes 1,059 Alcohol-Related 103 With Citation: Perinatal For OWI 61 1
For Speeding 64 0
Motorcyclist 68 1
Bicyclist 17 0
Pedestrian 14 0 For OWI Mortality Deaths Rate Total Perinatal 9 .
Neonatal 4 .
Fetal 5 .

------ HOSPITALIZATIONS ------

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	ALIZATIONS DISEASE / AGE GROUP	Number	1,000	Average Stay (Days)	Average Charge	Charge Per Capita	
HGE GROOT	HUMBEL	105	(Days)	CHAIGE	Capica	AGE GROOT	пашьет	105	(Days)	CHALGE	Capica	
Injury-Related	: All					Alcohol-Relate	d					
Total	708	6.3	4.5	\$11,038	\$69	Total	333	2.9	2.6	\$2,398	\$7	
<18	73	2.4	3.5	\$11,285	\$28	18-44	219	4.9	2.0	\$1,665	\$8	
18-44	177	3.9	3.7	\$11,124	\$44	45-64	88	3.4	2.7	\$2,588	\$9	
45-64	136	5.2		\$10,827	\$57	Pneumonia and	Influenza			, ,	, -	
65+	322	26.1	5.4	\$11,023	\$287	Total	293	2.6	5.6	\$8,535	\$22	
Injury: Hip	_			4/	7	<18	37	1.2	4.9	\$8,198	\$10	
Total	100	0.9	5.6	\$11,447	\$10	45-64	47	1.8	5.3	\$9,241	\$17	
65+	88	7.1		\$11,657	\$83	65+	180	14.6	6.0	\$8,595	\$125	
Injury: Pois	onings	–		,,	4.00	Cerebrovascula				40,000	7	
Total	38	0.3	1.8	\$3,958	\$1	Total	291	2.6	4.8	\$9,005	\$23	
18-44	19					45-64	45	1.7	4.7	\$10,179	\$18	
						65+	239	19.3	4.7	\$8,552	\$165	
Psychiatric						Chronic Obstru				, - ,	,	
Total	567	5.0	6.0	\$4,586	\$23	Total	168	1.5	3.9	\$5,344	\$8	
<18	95	3.2	7.8	\$6,005	\$19	<18	30	1.0	2.1	\$3,131	\$3	
18-44	320	7.1	4.7	\$3,379	\$24	18-44	31	0.7	2.5	\$4,198	\$3	
45-64	69	2.7	6.2	\$5,014	\$13	45-64	35	1.4	4.8	\$6,979	\$9	
65+	83	6.7	8.6	\$7,260	\$49	65+	72	5.8	4.8	\$5,964	\$35	
				, ,		Drug-Related				1 - 7	,	
Coronary Heart	Disease					Total	52	0.5	4.0	\$3,136	\$1	
Total	646	5.7	4.5	\$22,422	\$128	18-44	41	0.9	3.0	\$2,250	\$2	
45-64	247	9.5		\$21,408	\$204					, ,	,	
65+	374	30.3		\$23,503	\$711	Total Hospital	izations					
				47	7	Total	10,519	92.9	4.2	\$8,614	\$801	
Malignant Neop	lasms (Ca	ncers)	: All			<18	1,858	62.3	3.0	\$3,976	\$248	
Total	422	3.7		\$17,709	\$66	18-44	3,006	66.7	3.0	\$5,690	\$379	
18-44	44	1.0		\$25,634	\$25	45-64	2,017	77.8	4.5	\$12,038	\$937	
45-64	146	5.6		\$20,225	\$114	65+	3,638	294.4	5.7	\$11,500	\$3,386	
65+	230	18.6		\$14,150	\$263		. ,			, ,	, - ,	
Neoplasms: Female Breast (rates for female population)						PREVENTABLE HOSPITALIZATIONS*						
Total	65	1.1	2.4	\$6,534	\$8	Total	1,045	9.2	4.4	\$6,379	\$59	
Neoplasms: C	olo-recta	.1			·	<18	128	4.3	2.2	\$3,235	\$14	
Total	56	0.5	9.1	\$15,611	\$8	18-44	132	2.9	3.0	\$4,952	\$15	
65+	38	3.1		\$15,486	\$48	45-64	213	8.2	4.5	\$7,318	\$60	
Neoplasms: L	ung				•	65+	572	46.3	5.1	\$7,062	\$327	
Total	41	0.4	7.9	\$19,970	\$7	* Hospitalization			where t			
					·	ambulatory care c						
Diabetes						The definition of						
Total	80	0.7	5.6	\$9,560	\$7	is consistent wi					-	
65+	38	3.1		\$12,601	\$39	Please refer to t				this pag	e in the	
				, , ,	,	1997 report for 1996 and 1997.						
						1000 and 1997.						